



Cold water pressure washer for daily commercial use. With compact dimensions, solid construction and excellent manoeuvrability, this unit is one of the most versatile in the compact class.



1 Easy press trigger gun

- Ergonomic design for ease of use.
- Easy press trigger for fatigueless use.

2 Variable pressure/water flow control

- Adjustable at the unit.
- For gentle cleaning of sensitive surfaces.

3 Telescopic push handle

- Large aluminium profiles provide stability and good manoeuvrability.
- Holds accessories in the extended position.

4 Outstanding mobility

- For rapid cleaning at different locations.
- Space-saving storage in service vehicles.



HD 2.3/15 C Ed

- 3-piston axial pump with ceramic pistons
- Easy Press trigger gun with soft grip
- Variable pressure

Technical data

Order no.		1.150-626.0
EAN code		886622000396
Power supply	Ph / V / Hz	1 / 120 / 60
Water Volume	l/h	230–520
Operating pressure	bar / MPa	30–103 / 3–10,3
Operating pressure	PSI	300 / 1500
Max. pressure	bar / MPa	124 / 12,4
Maximum water inlet Temp	°C	60
Connected load	kW	2,4
Weight	kg	23
Dimensions (L x W x H)	mm	360 × 375 × 925

Equipment

Trigger gun		Easy-press trigger gun
Trigger gun with soft grip		■
High-pressure hose	m	10
Spray lance	mm	850
Triple nozzle (0°/25°/40°)		Manual
Anti-twist system (AVS)		■
Pressure switch control		■
Servo Control		–
■		

HD 2.3/15 C Ed 1.150-626.0

KÄRCHER



		Order no.	ID		Length	RRP	Description	
Standard with unions on both sides								
High-pressure hose packaged	1	6.391-342.0	ID 8	315 bar	10 m			▲
High-pressure hose, 30 m DN 8, including rotary coupling	2	6.390-293.0	ID 8	315 bar	30 m			▲
Longlife 400 with unions on both sides								
High pressure hose DN 6, 10 m, drehbar, I	3	6.391-883.0	ID 6	400 bar	10 m			▲
High-pressure hose packaged	4	6.391-354.0	ID 8	400 bar	10 m			▲
High-pressure hose Longlife 400, 15 m, DN 8, including rotary coupling	5	6.389-709.0	ID 8	400 bar	15 m			▲
High-pressure hose Longlife 400, 30 m DN 8, including rotary coupling	6	6.390-294.0	ID 8	400 bar	30 m			▲
High-pressure hose 1.5 m, DN 8, including connectors	7	6.390-178.0	ID 8	400 bar	1,5 m			□
Longlife food design with screw connections at both ends								
High pressure hose food DN 8 / 10 m	8	6.391-864.0	ID 8	400 bar	10 m			▲
High-pressure hose food industry 400 bar, 20 m, DN 8, including rotary coupling	9	6.391-887.0	ID 8	400 bar	20 m			▲
Standard								
High-pressure hose, 10 m DN 6, AVS trigger gun connector	10	6.391-238.0	ID 6	250 bar	10 m			■
HD-Schlauch DN 6, 15m	11	6.391-394.0	ID 6	250 bar	15 m			□
High-pressure hose, 10 m DN 8, AVS trigger gun connector	12	6.390-025.0	ID 8	315 bar	10 m			□
High-pressure hose, 15 m DN 8, AVS trigger gun connector	13	6.390-185.0	ID 8	315 bar	15 m			□
High-pressure hose, 20 m DN 8, AVS trigger gun connector	14	6.390-171.0	ID 8	315 bar	20 m			□
High-pressure hose, 10 m, DN 6, 300 bar, AVS trigger gun connection	15	6.391-875.0	ID 6	300 bar	10 m			□
Longlife 400								
High pressure hose DN 6, 10 m, Longlife	16	6.391-882.0	ID 6	400 bar	10 m			□
High-pressure hose packaged	17	6.391-351.0	ID 8	400 bar	10 m			□
Food industry version								
High-pressure hose 15 m DN 6, AVS trigger gun connector 11 mm, suitable for food industry, grey	18	6.391-654.0	ID 6	250 bar	15 m			□
Longlife food design								
High-pressure hose Longlife 400, 15 m, DN 6, AVS trigger gun connection	19	6.391-888.0	ID 6	400 bar	15 m			□
Special hoses								
High-pressure hose 1.5 m, DN 8, including connectors, outlet bend	20	6.388-886.0	ID 8	400 bar	1,5 m			□

■ □ ▲

HD 2.3/15 C Ed

1.150-626.0



		Order no.	Water Volume				RRP	Description	
Easy Press high-pressure trigger gun with holding force reduction (Kärcher patent)									
Easy press high-pressure trigger gun with softgrip	1	4.775-463.0							■
Trigger guns									
High end high-pressure trigger gun	2	4.775-823.0							□
Quick connect									
Quick coupling	3	6.401-458.0							□
Plug nipple	4	6.401-459.0							□

■ □ ▲

HD 2.3/15 C Ed

1.150-626.0



		Order no.		Nozzle size			RRP	Description	
Triple nozzles									
Triple nozzle 040	1	4.767-150.0	300 bar	40					■
Triple nozzle 034	2	4.767-147.0	300 bar	34					□
Triple nozzle, touchless changeover									
Triple nozzle, touchless changeover	3	4.767-001.0		34					□
Dirt Blaster, small									
Dirt blaster	4	4.767-022.0	180 bar	35					□
Dirt blaster complete only for replacement	5	4.767-230.0	180 bar	35					□
Dirt blaster, large									
Dirt blaster - without changeover function	6	4.763-931.0	300 bar	35					□

■ □ ▲

HD 2.3/15 C Ed

1.150-626.0

KÄRCHER


		Order no.		Length			RRP	Description	
Rotating spray lances									
Lance 850 mm, rotatable, ergonomic	1	4.760-663.0	300 bar	850 mm					■
Rotatable lance, 600 mm, ergonomic	2	4.760-664.0	300 bar	600 mm					□
1050 mm lance, rotatable, ergonomic	3	4.760-660.0	300 bar	1050 mm					□
Lance 1550 mm, rotatable, ergonomic	4	4.760-661.0	300 bar	1550 mm					□
Lance 2050 mm, rotatable, ergonomic	5	4.760-662.0	300 bar	2050 mm					□
Variable pressure spray lance									
Variable pressure spray lance	6	4.760-362.0		670 mm					□
Variable pressure lance	7	4.760-230.0		1040 mm					□
Adapter for variable pressure spray lance									
Adapter for variable pressure lance	8	4.762-075.0							□
Angular spray lance									
WC and gutter lance	9	4.760-073.0							□
Undercarriage spray lance									
Underbody lance	10	4.760-245.0		700 mm					□
Spray lances									
Anti-vibration lance	11	6.415-951.0	250 bar	950 mm					□
Spray lance									
Lance 250 mm, non-rotatable	12	4.760-667.0		250 mm					□
Double lance									
Double lance 960 mm	13	6.394-665.0	310 bar	960 mm					□
Flexible spray lance									
Flexible lance 1050 mm	14	6.394-654.0	210 bar	1050 mm					□
Telescopic spray lance									
Telescopic jet pipe	15	6.394-690.0	225 bar						□
Strap for telescopic spray pipe	16	6.373-987.0							□
Gutter cleaner									
Gutter cleaning lance	17	2.642-305.0							□

■ □ ▲

HD 2.3/15 C Ed 1.150-626.0

KÄRCHER



		Order no.	Water Volume	Nozzle size	Diame- ter	RRP	Description	
FR Classic surface cleaner								
FR Classic	1	2.643-476.0						☐
Hard surface cleaner FR 30								
FR 30	2	2.642-997.0			300 mm			☐
FR 30 Me surface cleaner								
FR 30 ME surface cleaner	3	2.640-355.0			300 mm			☐
Machine-specific nozzle kits for FR								
Nozzle kit for surface cleaners (type-specific) 500 - 650 l/h	4	2.640-401.0	500-650 l/h					☐
Machine-specific nozzle kits for FR Classic								
	5	2.885-312.0		40				☐
Hard surface cleaner FRV 30								
FRV 30	6	2.642-999.0						☐
Add-on kit rubber lip	7	2.642-910.0						☐
Extension hose 5 m	8	4.440-939.0						☐
Add-on kit hose attachment	9	2.642-528.0						☐
Add-on kit dirt trap	10	2.642-532.0						☐
Machine-specific nozzle kits for FRV								
Nozzle kit 035 - for FRV 30	11	2.642-430.0		35				☐
Nozzle kit 040 - for FRV 30	12	2.642-431.0		40				☐
Nozzle kit 045 - for FRV 30	13	2.642-432.0		45				☐
Nozzle kit 050 - for FRV 30	14	2.642-433.0		50				☐
Nozzle pack 080	15	2.642-982.0		80				☐
FRV 30 Me surface cleaner								
FRV 30 ME	16	2.642-911.0						☐
Suction hose FRV 30 me	17	4.441-040.0						☐

■ □ ▲

HD 2.3/15 C Ed

1.150-626.0




		Order no.	Nozzle size				RRP	Description	
Power nozzle spray angle 25°									
Power nozzle 25° spray angle	1	2.883-803.0	34						☐
25° power nozzle for applying cleaning agent	2	2.884-521.0	250						☐

■ □ ▲

HD 2.3/15 C Ed 1.150-626.0

KÄRCHER



		Order no.						RRP	Description	
Coupling										
Hose connector	1	4.403-002.0								☐
Connector										
Nozzle connector/screw connector	2	4.402-022.0								☐
Cleaning agent injector										
Add-on kit proportioning valve	3	6.500-000.0								☐
Detergent injector for high pressure	4	3.637-170.0								☐
Machine-specific nozzle kit with order no. 3.637-170.0										
Machine-specific nozzle kit with order no. 3.637-170.0, HP 500-700 l/h	5	4.769-045.0								☐
Nozzle union										
Nozzle connector	6	5.401-210.0								☐
Spacer (including nozzle union)										
Spacer (incl. nozzle union)	7	5.394-294.0								☐
Coupling parts										
	8	6.987-705.0								☐
Rotary coupling										
Rotary coupling	9	4.401-091.0								☐
Adapters										
Adapter M22 - Swivel	10	4.424-004.0								☐

■ □ ▲

HD 2.3/15 C Ed

1.150-626.0




		Order no.	Nozzle size				RRP	Description	
Wet blasting attachment (without nozzle)									
Wet blasting attachment with flow control (without nozzles)	1	4.762-010.0							☐
Wet blasting attachment without flow control (nozzles not included)	2	4.762-022.0							☐
Nozzle kits for wet jet unit									
Nozzle kit for wet blasting attachment 035	3	2.638-526.0	35						☐
Boron carbide nozzle									
Boron carbide nozzle, for machines as of 1000 l/h	4	6.415-084.0	6 mm						☐

■ □ ▲

HD 2.3/15 C Ed 1.150-626.0

KÄRCHER



		Order no.	Nozzle size	Diame- ter	RRP	Description	
Pipe cleaning hose, ID 6							
Pipe cleaning hose	1	6.390-028.0	120 bar				☐
Pipe cleaning hose, DN 6, 30 m	2	6.390-029.0	120 bar				☐
Pipe cleaning nozzle							
Pipe cleaning nozzle	3	5.763-015.0	55	16 mm			☐
	4	5.763-016.0	60	16 mm			☐
	5	5.763-017.0	50	30 mm			☐
Rotating pipe cleaning nozzle	6	6.415-428.0	50	16 mm			☐
Pipe cleaning dirt blaster D 25 / 040	7	6.415-944.0	40	25 mm			☐
Pipe cleaning dirt blaster D 30 / 040	8	6.415-946.0	40	30 mm			☐
Pipe cleaning dirt blaster D 35 / 040	9	6.415-948.0	40	35 mm			☐
Barrel and tank cleaning							
Barrel cleaner	10	2.641-740.0	120 bar				☐

■ □ ▲

HD 2.3/15 C Ed

1.150-626.0



		Order no.	Water Volume				RRP	Description	
Inno Foam Kit									
Inno foam kit with detergent injector	1	2.640-151.0							☐
Easy Foam Set									
Easy Foam Set with RM injector	2	2.640-691.0							☐
Nozzle kits for Inno/Easy Foam Set									
Nozzle kit 055 for Inno / Easy Set 500–600 l/h	3	2.640-870.0	500–600 l/h						☐
Foam nozzle mounting kit									
Foam nozzle kit	4	2.637-926.0							☐
Cup foam lance									
Cup foam lance	5	6.394-668.0	1200 l/h						☐
Tank 1L	6	6.414-954.0							☐

■ □ ▲

HD 2.3/15 C Ed
1.150-626.0



		Order no.	Length				RRP	Description	
Automatic, self-winding hose reels									
Hose reel, automatic, 20 m, painted	1	2.639-919.0	20 m						☐
Swivel holder	2	2.639-931.0							☐
Hose reel, automatic, 20 m, stainless steel	3	6.391-421.0	20 m						☐
Add-on kit hose reel plastics	4	6.392-975.0	20 m						☐
Add-on kit hose reel	5	6.392-965.0	20 m						☐
ABS hose reel stainless steel	6	2.641-866.0	20 m						☐

■ □ ▲

HD 2.3/15 C Ed 1.150-626.0

KÄRCHER



		Order no.	Length	Diameter			RRP	Description	
Starting current limiter									
Starting current limiter	1	2.637-495.0							☐
Geka coupling									
Geka connector with hose barb, R 1/2"	2	6.388-461.0							☐
Geka connector with hose barb, R 3/4"	3	6.388-455.0							☐
Geka connector with inner thread, R 3/4"	4	6.388-473.0							☐
Suction filter									
Suction filter with check valve	5	4.730-012.0							☐
Water filter	6	6.414-956.0							☐
Water fine filter									
Fine-mesh water filter with adapter	7	4.730-102.0							☐
Water supply hose									
Water supply hose	8	4.440-038.0	7,5 m						☐
	9	4.440-207.0	7,5 m						☐
Backflow check valve									
Backflow preventer	10	2.641-374.0							☐

■ □ ▲

HD 2.3/15 C Ed

1.150-626.0



		Order no.	Water Volume				RRP	Description	
Rotating washing brush									
Washing brush rotary	1	4.762-560.0	500-800 l/h						☐
	2	4.762-561.0	500-800 l/h						☐
Push-on washing brush									
Push-on wash brush, M 18 x 1.5	3	4.762-016.0							☐
Push-on washing brush	4	4.762-497.0							☐

■ □ ▲