## HDF1201/4-1F-1H HDF1201/4-2F-2H

Thank you for choosing a Hydrotech filter.

It is a trustworthy machine that will run for a long time with minimum care and service. Indeed, any mechanical equipment requires annual maintenance in order to operate efficiently and with as little down time as possible. This is also the case with your Hydrotech Drumfilter HDF1200-1F or -2F.

On the next pages, you will find recommendations for maintenance, parts to change and drawings.

If you don't have the possibility to do the maintenance yourself, Hydrotech will be pleased to send you a service offer or recommend a reliable technician that can assist you.

Apart from the periodic maintenance mentioned in the **Operation & Maintenance manual** we recommend a large service every fifth year where at least all parts in the **5 year service kit** are replaced.

To order spare parts or a service from Hydrotech and also to get the latest updated prices, please contact Hydrotech at services@hydrotech.se.





**Veolia Water Technologies AB** 

Hydrotech



Mejselgatan 6, 235 32 Vellinge, Sweden Phone +46 40 42 95 30, Fax. +46 40 42 95 31 mailbox@hydrotech.se www.hydrotech.se

# HDF1201/4-1F-1H HDF1201/4-2F-2H

#### 5 year service kit

Art. N°	N° on drawing	Description	Qty	Filter versions
424020	4828 pos.9	Key steel 12x8x45 mm	1	HDF1201-3
424030	4828 pos.9	Key steel 12x8x45 mm	1	HDF1204
425500	4828 pos.3	Slide bearing Ø40 (drum shaft)	2	HDF1201-3
425510	4828 pos.3	Slide bearing Ø50	2	HDF1204
1006088	4828 pos.8	Shaft sealing radial 40x62x7	2	HDF1201-3
1006089	4828 pos.8	Shaft sealing radial 50x62x7	2	HDF1204
425725	4828 pos.4	Spacer 80/41x5 mm	2	HDF1201-3
425730	4828 pos.4	Spacer 90/50x5 mm	2	HDF1204
352310	2408 pos.6	Grease nipple, M8x1mm	3	
1010967		Manometer 0-16 bar 1/4" SI	1	
See table 2	0678-C pos.5	Rubber lip for solids tray	1	
420130	On chain	Offset link 1"	1	
420120	On chain	Chain lock 1"	1	
1001270	1329 pos.9	Chain wheel Z=32 1" for cone	1	
1001273	4828 pos. 11	Cone to chain wheel 3020-Ø40	1	HDF1201-3
1001274	4828 pos. 11	Cone to chain wheel 3002- Ø50	1	HDF1204
1001492	1329 pos.8	Chain wheel 1" 10 Ø30	1	
422000	See manual page 34	Rubber lip seal HDF1200	1	
1003834	4662-A	Support wheel type 14	2	

#### Table 2

Filter type	Qty for Art. N° Rubber lip for solids tray
HDF1201	1000468
HDF1202	1000469
HDF1203	1000470
HDF1204	1005258

#### Parts only valid for 1F tank version:

Art. N°	N° on drawing	Description	Qty
276125	On spray bar	Hose, 25 mm	0,6
1014371	On spray bar	Hose clamp Pa-Ri 49mm 2343	2
1006283	1329 pos.10	Chain 1" Rex simplex	1

#### Veolia Water Technologies AB



# HDF1201/4-1F-1H HDF1201/4-2F-2H

#### Parts only valid for 2F frame version:

Art. N°	N° on drawing	Description	Qty
1006289	1329 pos.10	Chain 1" Rex simplex	1

#### Strategic spare parts

Art. N°	N° on drawing	Description	Qty	Versions
		Backwash nozzles	5 per segment	
		Filter panels	3 per segment	
278040		Cartridge for strainer	1	

#### Parts only valid for 1F/1H tank version:

Art. N°	N° on drawing	Description	Qty	Versions
1001925		Drive shaft	1	HDF1201-3
1001573		Drive shaft	1	HDF1204

#### Parts only valid for 2F/2H frame version:

Art. N°	N° on drawing	Description	Qty	Versions
1002060		Drive shaft	1	HDF1201-3
1002062		Drive shaft	1	HDF1204

#### Critical spare parts

Art. N°	N° on drawing	Description	Qty
		Backwash pump	1
	1329 pos.12	Drive gear/motor	1

#### **Definitions:**

#### 5 year service kit:

Parts to be changed after 5 years of operation

#### Strategic spare parts:


Parts with short lead time (always on Hydrotech stock) which are vital for the operation of the unit.


#### Critical spare parts:


Parts with long lead time which are vital for the operation of the unit, contact Hydrotech for precise delivery time.

#### Veolia Water Technologies AB









General conditions and use for this drawing is in accordance to ORGALIME S2000 All property rights and use remain to HYDROTGCHAB Sweden PROPERTY OF DRAWINGS AND PRESCRIPTIONS

6 2 4 5 8 7 1 3 9 7 8 11 10

Change and/or message no.

Date


Made by c-m no.

Ed.

	Α	В
HDF 801-3 1G	M12 x 70	13x24x2.5
HDF 1201-04	M12 x 30	13x24x2.5
HDF 1601-04	M16 x 30	17x30x3

11	1	Washer				A4		RB 10,5x30x2,5	Art.no. 350552	2
10	1	Bolt				Α4		M6S M10x12	Art.no. 101433	1
9	2	Suppo	rt for radia	l sealing		AISI	316L		Colson (Art.no	. 1001606)
8	2	Radial	sealing			Rubb	ег		Colson (Art.no	. 1001606)
7	2	Suppo	rt for radia	l sealing		Plas	tic, Black		Colson (Art.no	. 1001606)
6	1	Greas	e Nipple			AISI	316L	M8x1	Art.no. 352310	
5	2	Bolt			Α4		M6S A			
4	2	Washer			Α4		RB ØB			
3	2	Ball bearing				AISI	304	6005	Colson (Art.no. 1001606)	
2	1	Bearing bracket							Drw. no. 2380	
1	1	Suppo	rt wheel			Plas	tic, White	160 x 50	Colson (Art.no. 1001606)	
Part no.	Qty		Name				Material	Modnr Blank Dimension Mass		Remark
Designer EmS	Drawi Em		Сору	Controlled by	Stand. ISO 276	8-m	Approved	Scale	Replaces	Replaced by
Support VECH Exploded Drumfilter							Date 2011-04-12			
					HDF 800-1G, 1200, 1601-			Draw. no. 4662 Edit	ion A	

# accordance to ORGALIME S2000 All property rights and use remain to HMDROTGCHAB Sweden PROPERTY OF DRAWINGS AND PRESCRIPTIONS .⊑ <u>.v</u> drawing this for General conditions and use



# HDF1201/4-1F-1H HDF1201/4-2F-2H

## **Checklist / service report**

To be done on every visit	
Check backwash pressure	
Remarks:	
Check panels for damage	
Remarks:	_
Visually inspect the inside of the unit	
Remarks:	_
Check the nozzles for clogging	
Remarks:	
Lubricate all grease points of the unit	
Remarks:	_
Check drive chain tension	
Remarks:	
Visually inspect the outside of the unit, clean if needed	
Remarks:	

Veolia Water Technologies AB



# HDF1201/4-1F-1H HDF1201/4-2F-2H

To be done	on yearly visit
Cł	heck oil condition in drive unit according to separate manual
Remarks:	
Cł	heck drum bearings for ware
Remarks:	
Ch Remarks:	heck shaft gaskets for ware
	heck inlet gasket for ware
Cł	heck support wheels for ware

Veolia Water Technologies AB

Hydrotech

Remarks:



# HDF1201/4-1F-1H HDF1201/4-2F-2H

#### To be done every five years

Replace the parts from service kit

Ok	_	
	Key steel	
	Slide bearing Shaft sealing radial Spacer 90/50x5 mm	
	Grease nipple, M8x1mm	
	Manometer 0-16 bar 1/4" SI	
	Rubber lip for solids tray	
	Offset link 1"	
	Chain lock 1"	
	Chain wheel Z=32 1" for cone	
	Cone to chain wheel 3020-Ø40	
	Cone to chain wheel 3002- Ø50	
	Chain wheel 1" 10 Ø30  Rubber lip seal HDF1200	
	Support wheel type 14	
	_	
Check and if needed replace strategic and critical parts		
Circuit	in and it receded replace strategie	and circleat parts
OK	<b>-</b>	
	Nozzles Qty	
	Panels Qty Drive unit	·
	Backwash pump	
Remarks:		

Veolia Water Technologies AB

